CHWALIBOGOWSKI, A.; WALTENBERGER, Z.

Psychical state in chi.dren in tuberculous meningitis and encuphalitis. Pediat. polska 31 no.11:1189-1204 Nov 56.

1. Z Kliniki Chorob Dzieci Slaskiej A.M. w Zabrzu Kierownik: prof. dr. med. A. Chwalibogowski, Zabrze, ul. 3 Maja 63. (TUBERCULOSIS, MENINGRAL, in infant and child, psychol. aspects (Pol))

WALTENBER, ZOFTA
CHWALLBOOWSKI, Artur; WALTENBERGER, Zofta

Psychic condition of convalescents after tuberculous meningoencephalitis
based by catamassis. Pediat. polskx 32 no.11:1243-1253 Nov 57.

1. Z Kliniki Chorob Exicci Slaskiej A. M. w Zabrzu Kierownik: prof.
dr A. Chwallbogowski, Adres: Zabrze, ul. 3 Maja 63.

(TUBERCULOSIS, MENINGRAL, psychol.

of convalescents after tuberc. meningoencephalitis (Pol))

CHWALIBOGOWSKI, Artur; ROMANSKA, Krystyna; WALTENBERCER, Zofia

Can salicylic acid amide be used in rheumatic disease? Reumatologia Polska no.3:393-396 '60.

1. Z Kliniki Chorob Dzieci Sl. Ak. Med. w Zabrzu Kierowniki prof. dr med A. Chwalibogowski (SALICYIAMIDES ther)
(RHEUMATIC FEVER ther)

CHWALIBOGOWSKI, A.; ROMANSKA, K.; WALTENBERGER, Z.

A case of angioma cavernosum of the stomach and of the lower portion of the esophagus in a 14-year-old girl. Pediat.polska 35 no.7: 793-796 Jl *60.

1. Z Kliniki Chorob Dzieci Slaskiej A.M. w Zabrzu Kierownik: prof. dr med. A.Chwalibogowski.

(ANGIOMA in adolescence)

(STOMACH NEOPLASMS in adolescence)

(ESOPHAGUS neopl)

CHWALIBOGOWSKI, A.; ROMANSKA, K.; WALTENBERGER, Z.

A case of chondroblastoms in a 12-year-old girl. Pediat polsks 36 no.3:291-294 '61.

1. Z Kliniki Chorob Dzieci Slaskiej A.M. w Zabrzu Kierownik: prof. dr med. A. Chwalibogowski.

(CHONDROBLASTOMA in inf & child) (SHOULDER neopl)

"APPROVED FOR RELEASE: 09/01/2001 CIA

CIA-RDP86-00513R001961430011-5

BUKOWIECKI, Jerzy, mgr inz.; WALTENBERGER-RAZNIEWSKA, Maria, mgr inz.

Thermal application of metal powders and high-melting compound. Wind hut 15 no.12:367-370 D'64.

5/196/62/000/005/002/012 E194/E154

AUTHORS:

Waltenberger-Razniewska, M., Siarzewski, L., and

Waniewski, E.

TITLE:

Factors influencing the elongation of single-domain

particles of iron produced by the amalgam method

PERIODICAL: Referativnyy zhurnal, Elektrotekhnika i energetika, no.5, 1962, 2, abstract 5 Bl2. (Prace Inst. hutn., v.13, no.1, 1961, 47-52 (Polish, with summary in

Russian and English)).

Colloidal particles of iron of single domain structure were produced by electrolytic deposition on a mercury cathode. TEXT: Analysis of the results obtained when the electrolytic bath was fed from a rectifier, a d.c. generator and an accumulator showed that the greatest ratio of $B_{\mathbf{r}}$ to the saturation magnetic field intensity Hc was obtained in powders deposited by a steady, non-pulsating current at a density of about 20 mA/cm2. saturation field $H_{\mathbf{C}}$ and $B_{\mathbf{r}}$ were measured by placing a test tube containing the amalgam (3% Fe) in a magnetometer. Hc reached 500 oersteds. By study of the powders in an electron Card 1/2

Factors influencing the ...

5/196/62/000/005/002/012 E194/E154

microscope with the magnification of X 66 000 it was found that the particles were elongated (photographs are given). 38 literature references.

ASSOCIATION: Inst. Metali Nieżalaznych FNR (1nstitute of Non-ferrous Metals, PPR). (see also abstract 5 Bll and Ref.Zh.Elek. 1961, abstract 10 B34).

Abstractor's note: Complete translation.

Card 2/2

WALTENBERGER-RAMMIEWSKA, Maria, mgr inm., BUKGATECKI, Jarzy rgr inm.

Very fine metal powders. Redy i metals 10 no.2:73-73 F '65.

KALDY, Jozsef, dr., a mezogazdasagi tudomanyok (erdeszet) kandidatusa, egyetemi tanar (Sopron); WALTER, Ferenc, egyetemi tanaraged (Sopron)

Tests for solving the mechanization of barkpeeling. Erdo 13 no.11:512-523 N '64.

1. Editorial board member, "Az Erdo" (for Kaldy).

WALTER, I.


WALTER, I. Why we breed white-most pigs. p. 19.


Vol. 11, no. 15/16, Aug. 1956 MAGYAR MEZOGAZDASAG AGRICULTURE Budapost, Hungary

So: East European Accession, Vol. 6, No. 5, May 1957

WALT	IR, Istyan	
•	Precision grinding in the optical industry.Ft.2. Finommechanika 2 no.2:57-62 F 163.	
	1. Magyar Optikai Muvek.	•
\		

WALTER, Istvan Precision grinding in the optical industry. Finommechanika 2 no.1:8-11 Ja '63. 1. Magyar Optikai Muvok.





ACC NRI	AP6032833	(A)	SOURCE CODE: C	cz/0078/65/000/007	/\)022/0022
INVENTO	R: Walter, J.	(Strakonice); Pu	udil, F. (Strakoni	ce)	
ORG: n	one				
TITLE:	Internal combu	stion engine val	lve. CZ Pat. No.	PV 1234-65	
SOURCE:	Vyralezy, no.	7, 1966, 22	in the state of th		
TOPIC T	AGS: internal cole engine	combustion engin	ne, internal combu	istion engine compo	onent,
valves	in the comousti prings are used t valves. The l ng parts of the	on space is intro- which simultane	oduced. For the re cously control both	combustion engine everse motion of the the two intake a nnecting bridge su on of the reverse	nd the pporting the
	DE: 21/ SUBM DAT	E: 23F(1)65/			
Cara .	And the second second second	مه دو دو دو دو از			

WALTER, Jan, inz.

Corrected gears of motor vehicles. Automobil Cz 7 no.10: 298-304 0 163.

1. Ceske zavody motocyklove.

WALTER, Janos, dr.

Root canal measuring. Fogorv. szemle 58 no.10:309-314 0 '65.

1. Kozlemeny a Budapesti Orvostudomanyi Egyetem Konzervelo Fogaszati Klinikajerol (Mb. tanszekvezeto: Boros, Sandor, dr. egyetemi docens).

WALTER, Janos, dr.

Technic of application of adhesive plaster. Orv. hetil. 96 no.22: 613-615 29 May 55

1. Az All. Fodor Jozsef Thc. Gyogyintezet, Budapest (igasgatofoorvos: Risko Tibor dr. kozlemenye. (PLASTER CASTS, adhesive plaster)

Walter, Janes

Pipetting device. Orv. hetil. 98 no.45:1252-1253 10 Mov 57.

1. A Budapesti Orvestudomanyi Egystem Fogessati Kliniknjanak (igasgato: Balogh Karoly dr. ogyet. tamar) kozlemenye.

(OHEMICAL ANALINIS, appar å instruente
new pipette with rubber balloon (Hnn))

COUNTRY CATEOCRY ABS. JOUR.	: MULLARY : Laboratory Equipment. Apparatus, Their Theory, Construction and Application : RZKhim., No. 1 1960, No. 1046	
AUTHOR INST. TITLE	: Walter, J. : An Adapter to the Pipetto	
ORIG. PUB.	: Magyar ken. folyoirat, 1958, 64, No 12, 439-490	
ABSTRACT	: An adapter with a screw for pressing the rubber bulb, by means of which the filling and emptying of the pipette takes place, is proposed. The adapter facilitates the dosing and in-	
	creases its accuracy A. Loshmanov	•
	creases its accuracy A. Losmanov	
	creases its accuracy A. Losmanov	
CAPD:	creases its accuracy A. Losmanov	• • • • • • • • • • • • • • • • • • •
CAPD:		• • • • • • • • • • • • • • • • • • •

A052/A126

AUTHOR:

Walter, Jaroslav

TITLE:

Valve control device of four-cycle internal-combustion engines

PERIODICAL: Referativny zhurnal, otdel nyy vypusk, 39. Dvigateli vnutrennego sgoraniya, no. 1, 1963, 5 - 6, abstract 1.39.31 P (Czech. pat., cl.

46 bl, 7, no. 99500, May 15, 1961)

A drive system of camshafts acting directly on upper valves of rac-TEXT: er engines is patented. Inlet and outlet valves have independent camehafts, which can easily be taken out through the front holes covered with removable covers with shaft bearings. The shafts are driven by the crankshaft from its front end by means of sets of bevel pinions and intermediate shafts. The shaft situated between the crankshaft and the first camehaft consists of two splineconnected parts, the second shaft consists also of two parts connected by means of a tube with inside splines. Such an arrangement simplifies the mounting and demounting of individual assemblies of the engine.

[Abstracter's note: Complete translation]

A. Zhukov

Card 1/1

WALTER, K.

WALTER, K. Reflex klystron made of a regular pentode. p. 153.

Vol. 6, No. 7, July 1956 RADIOTECHNIKA TECHNOLOGY Budapest, Hungary

So: East European Accession, Vol. 6, No. 2, Feb. 1957

KAZIPITERZ WALTER KAZIMIERZ

POLAND / Chemical Technology, Chemical Products and

Their Application, Part 3. - Fermentation

Industry.

Abs Jour: Ref Zhurnal Khimiya, No 18, 1958, 62531.

Author :- Kazimierz Walter.

Inst : Not given.

Title : Alcohol Losses at Alcohol Tank Filling.

Orig Pub: Przem. fermentacyjny, 1958, 2, No 1, 7 - 10.

Abstract: The computation method of alcohol losses at the

filling of tanks in results of driving out air saturated with alcohol vapors from them is described taking into consideration the alcohol strength and the pressure and the temperature of the vapors. A yearly loss of 249.5 decaliters of water-free alcohol was computed for a rectification installation of a yearly productivity of 450,000 decaliters of rectified water-

Card 1/2

12

POLAND / Chemical Technology, Chemical Products and Their Application, Part 3. - Fermentation Industry.

H

THE PERSON NEWSFILM PROPERTY OF THE PROPERTY O

Abs Jour: Ref Zhurnal Khimiya, No 18, 1958, 62531.

Abstract: free alcohol. In order to decrease the alcohol losses, it is recommended to connect all

the air containing spaces in alcohol collectors with an alcohol trap and to tighten all the connections of the collectors according


to attached schemes at the same time.


Card 2/2


WALTER, Miloslav, inz.


Preparing the standard for determining the apparent specific grafity of coal. Pavliva 43 no.2:55-56 F '63.

1. Sdruzeni Severoceskych hnedouhelnych dolu, Most.










JAZIENICKI, Goguslaw; Valiter, Tadeuss Valter,

Mass tobulism. Przegl.epidem.Warsz. 9 no.2:95-99 1955.

1. Z Wojewodzkiej Stacji Sanitarno-Epidemiologicznej w Poznaniu i Oddzialu Wewnetrznego Szpitala im. Ludwika Josefa Bierkowskiego w Szanotulach.

(BOTULISM, epidemiology, in Poland)




WALTER, Tadeusz; PALUCHOWSKA, Maria; STAWICKI, Stanislaw

Two foci of food poisoning caused by Salmonella dublin. Przegl. epidem., Warsz. 11 no.3:241-244 1957.

1. Z Wojewodzkiej Stacji San. -Epid. w Poznaniu Dyrektor: dr med. St. Grzymala.

(SAIMONELIA INFECTIONS, epidemiol. dublin food pois. in Poland (Pol))



WALTER, Tadeusz

Recently discovered viruses in human pathology. Poinki tygod. 1ck. 13
no.20:768-769 19 May 58.

1. (Z Dzialu Zpidemiologicznego Wojewodzkiej Stacji San.- Zpid. w
Poznaniu; kierownik: dr K. Neyman; dyrektor Stacji: dr St. Grzymala)
Adres: Poznaa, ul. Libelta 35, Woj. Stacja San.- Zpidemiolog,

(VIRUSIES

new viruses (Pol))

WALTER, Tadousz

ECHO viruses and their clinical significance. Polski tygod. lex. 15 no.19:727-729 9 My '60.

1. Z Dzialu Bpidemiologicznego Wojewodzkiej, kierownik Dzialu: dn med. Kazimierz Neyman; Stacji Sanitarno-Mpidermiologicznej w Poznaniu; dyrektor Stacji: dr. med. Stanielw Grzymala. (VIRUSES)

WALTER, Tadousz

Viral hepatitis in the Poznan Region. Przegl.epidem. 15 no.2: 195-198 '61.

1. Z Dzialu Kpidemiologii WSSE w Poznaniu Kierownik: dr med. K. Neyman Dyrektor Staeji: dr med. St. Grzymala.

(HEPATITIS INFECTIOUS epidemiol)

WALTER, Tadeusz; WILANOWSKA, Jadwiga; CZUPRYS, Felicja; WALTER, Zofia

Value of the heterohemagglutination reaction in the diagnosis of viral hepatitis. Med. dosw. mikrob. 14 no.2;133-135 '62.

1. Z Dzialu Epidemiologicznego Wojewodzkiej Stacji Sanitarno-Epidemiologicznej w Poznaniu.

(HEMAGGLUTINATION) (HEPATITIS INFECTIOUS diag)

NEYMAN, Kazimierz; WALTER, Tadeusz

Attempted evaluation of the effect of gamma globulin on an epidemic of infectious hepatitis. Prezegl. epidem. 16 no.2:105-108 '62.

1. Z Dzialu Epidemiologii Wojewodzkiej Stacji Sanitarno-Epidemiologicznej w Poznaniu Kierownik: dr K.Neyman Dyrektor Stacji: dr S. Grzymala.

(HEPATITIS INFECTIOUS immunol) (GAM4A GLOBULIN ther)

Cocurrence of infectious parotitis in the rural population. Wiad. lek. 18 nc. 21:1635-1638 1 N ' 65. 1. Z Osrodka Zdrowia w Obrzycku (Kierowniks dr. ned. E. Kolppik) i z Wojewodzkiej Stacji Sanitarno-Epidemiczne, w Poznaniu (Dyrektor: doc. dr. med. S. Grzymala).

WALTER, Ta	leusz; Regional -Epid.), Poznar	Sanicacion and	rbragaroro8)			5
Scacia san	-chro. / , rozna	11 0				
İ		n against <u>Tetanu</u>	6			
		logiczny, Vol 1			1 · · · · · · · · · · · · · · · · · · ·	
Abstract	Triple (dipthe	ria, tetanus, po	rtussis) vac	cination was	introduced	on.
systematic	illy in the Poz	nan region in 19 children. Compa	160, starting	K to 1959 dat	-ola chilor a in Distri	ct din
later expan	raing to older	curracen. Comba	LIROU OF 13			""
liwith 1760	to 1963 data in	District B show	s that morbi	dity in A was	e cocaréa	1
12 127 n	to 1963 data in	ty in A was 6.5	per thousand	l cases. B. 2.	6. UL 3/	161
13,123, B	to 1963 data in 13,139; Mortali 1. only one had	ty in A was 6.5 been vaccinated	per thousand . Paper pro	l cases, B, 2.	o. UP 37 <u>3rd Scient</u>	ific .
13,123, B deaths in Assembly o	to 1963 data in 13,139; Mortali 1. only one had	ty in A was 6.5	per thousand i. Paper pro	l cases, B, 2.	o. UP 37 <u>3rd Scient</u>	ific
13,123, B	to 1963 data in 13,139; Mortali 1. only one had	ty in A was 6.5 been vaccinated	per thousand i. Paper pro	l cases, B, 2.	o. UP 37 <u>3rd Scient</u>	ific
13,123, n deaths in Assembly of [JPRS]	to 1963 data in 13,139; Mortali 1. only one had	ty in A was 6.5 been vaccinated iologists and In	per thousand i. Paper pro	l cases, B, 2.	o. UP 37 <u>3rd Scient</u>	ific
13,123, R deaths in Asserbly o [JPRS] TOPIC TAGS	to 1963 data in 13,139; Mortali 3, only one had Polish Epidem inmunization	ty in A was 6.5 been vaccinated iologists and In , pediatrics	per thousand i. Paper pro	l cases, B, 2.	o. UP 37 <u>3rd Scient</u>	ific
13,123, R deaths in Asserbly o [JPRS] TOPIC TAGS	to 1963 data in 13,139; Mortali 13, only one had 12 Polish Epidem	ty in A was 6.5 been vaccinated iologists and In , pediatrics	per thousand i. Paper pro	l cases, B, 2.	o. UP 37 <u>3rd Scient</u>	ific
13,123, R deaths in Asserbly o [JPRS] TOPIC TAGS	to 1963 data in 13,139; Mortali 3, only one had Polish Epidem inmunization	ty in A was 6.5 been vaccinated iologists and In , pediatrics	per thousand i. Paper pro	l cases, B, 2.	o. UP 37 <u>3rd Scient</u>	ific
13,123, R deaths in Asserbly o [JPRS] TOPIC TAGS	to 1963 data in 13,139; Mortali 3, only one had Polish Epidem inmunization	ty in A was 6.5 been vaccinated iologists and In , pediatrics	per thousand i. Paper pro	l cases, B, 2.	o. UP 37 <u>3rd Scient</u>	ific

ACC NR: AP6035152	(A) SOURCE CODE: PO/O(B1/65/019/002/0199/	
KRAJEWSKA, Maria; WALTER, 1	Tadeusz and SIMBIEROWICZ, Zygmunt; Regional y Station (Wojewodzka Stacja Sanitarno-	0
Epidemiologiczna), Poznan s	and District Sanitation and Epidemiology Station o-Epidemiologiczna), Jarocin.	
"Epidemic of Infectious Hep	patitis in Children in Rural Areas."	
Warsau, Treeglad Epidemiolog	giczny, Vol 19, No 2, 1965; p 199-200.	
in 1960. In the first, 49 small children; In the second cole of central grammar schepidemiologic patterns. Ga	foci of epidemic hepatitis in the Poznan wojewodztwo children aged 3 to 14 were involved, no adults or cond, 10? children and 95 adults were affected. The hool is discussed in detail, stressing unexpected amma globulin administration was rapidly followed.	
by subsidence of the outbre	eak. Presented at the 3rd Scientifin Assembly of Infectologists, Krakova 5-6 Oct 64. [JPRS]	
by subsidence of the outbre Polish Epidemiologists and	Infectologists, Krakow, 5-6 Oct 64. [JPRS] idemiology, pediatrics, gamma globulin, disease therape	utics
by subsidence of the outbre Polish Epidemiologists and	Infectologists, Krakow, 5-6 Oct 64. [JPRS] idemiology, pediatrics, gamma globulin, disease therape	utics
Polish Epidemiologists and TOPIC TAGS: hepatitis, epi	Infectologists, Krakow, 5-6 Oct 64. [JPRS] idemiology, pediatrics, gamma globulin, disease therape	utics
Polish Epidemiologists and TOPIC TAGS: hepatitis, epi	Infectologists, Krakow, 5-6 Oct 64. [JPRS] idemiology, pediatrics, gamma globulin, disease therape	utics

ACC NR. AE6035176	(A) sour	CE CODE: F	0/0081/65/019/	/002/0260/	0260
NALTER, Tadeuszi Regional San Sircja Sanitarno-Epidemiologi	nitation and Epidemi lczna), Poznan.	ology Stati	<u>an (Hojewodska</u>	16	
'Observations on Botulism in	the Poznan Region.	Part I.	pidemiology."	B	
Warsaw, Przeglad Epidemiologi	lczny, Vol 19, No 2,	, 1965; p	160	i	
from 1.3 to 20.0. Cases were in adults more than in children aignificant. Of 641 cases react in outbreaks involving the disease from 1948 to 3rd Scientific Assembly of Person 1948.	ded in Poznan wojew ranged for the indi more common in run ren; these different ecorded during 1955 two or more persons 1953. 29 (5.1%) were	dztwo: avelvidual area ral than url cas were ste to 1963, 29 each time; a fatal. P	erage; yearly is (powiaty) ben greas, itistically be were sporad; of 559 cases resented at the	- 1	
5-6 Oct 64. [JPRS]					
TOPIC TAGS: botulism, epidem	niology	•			-
SUB CODE: 06 / SUBM DATE:	none				
					1
card 1/1 hs	. '				
Card 1/1 hs			0	92/_/.	546

POLAND

WALTER, Tadeusz, Wojewodztwo Sanitation and Epidemiology Station (Wojewodzka Stacja Sanitarno-Epidemiologiczna) in Poznan (Director: Docent, Dr. S. GRZYMALA)

"Interferon and Immunity."

Warsaw-Krakow, Przeglad Lekarski, Vol 19, Ser II, No 8, 28 Aug 63, pp 334-335

Abstract: [Author's English summary] The author discusses, on the basis of the literature, the properties of interferent and the part it plays in the mechanism of the organism's defence against virus infection. There are 35 references, which, with the exception of two (2) Czech and one (1) German are all to Western sources.

3./1

48

WALTER, V.

Saving of raw materials through the use of economically justified papers and cardicards. p.25. (Papir A Celulosa, Vol. 12, No. 2, Feb. 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, No. 9, Sept. 1957. Uncl.

=, WALKR, W.

POLAND/Nuclear Physics - Installations and Instruments. Methods C-2 of Measurement and Research

Abs Jour : Ref Zhur - Fizika, No 7, 1958, No 14919

Author : Lozynski Edwin, Walter Wladyslaw

Inst : Not Given

Title : Investigation of the Effectiveness of Geiger-Mueller Coun-


ters for Gamma Rays.

Orig Pub : Zosz. nauk. Uniw. jagiell., 1957, No 14, 61-69

Abstract: A measurement was made of the efficiency of Geiger-Mueller counters for garma rays by the coincidence method. The source of garma rays, radiated in cascade, was Co⁶⁰. It follows from the measurements that it is necessary to take into account the anisotropy of the cascade garma radiation in the coincidence method. A theory is proposed for the measurement of the efficiency of Geiger-Mueller counters for garma rays when using anisotropic photons emitted in cascade. For a pair of cylindrical brass Geiger-Mueller counter with a wall thickness of 1 mm, the resultant efficiency was 6: (0.77 t. 0.03)%

at a gama-ray energy of 1.25 Mev.

Card : 1/1



WALTER, Zofia

Isolation of RN acid from pancress by the Kemp and Allen method and attempts to fractionate this acid by means of various concentrations of MgCl₂. Nauki matem przyreń Lodz no.12:51-56 162.

1. Katedra Biochemii, Universytet, Lodz.

WALTER, Tadousz; WILANOWSKA, Jadwiga; CZUPAYS, Felicja; WALTER, Zofia

Value of the heterchemagglutination reaction in the diagnosis of viral hepatitis. Med. dosw. mikrob. 14, no.2;133-135 '62.

1. Z Dzialu Epidemiologicznego Wojewodzkiej Stacji Sanitarno-Epidemiologicznej w Poznaniu (HEPATITIS INFECTIOUS diag)

(HEMAGGLUTINATION)

GROSS, Maria; WALTER, Zofia

New method of the dialysis of hydrolysis products of ribonucleic acid. Chem anal 8 no.4:561-566 163.

1. Department of Physiological Chemistry, Academy of Medicine, Lodz, and Department of Biochemistry, University, Lodz.

POLAND

WALTER. Zofia. Infectious Division (Oddział Zakazny) (Ordynator: Docent, Dr. med. T. SKALMOWSKI) of the Wojewodztwo Child Hospital (Wojewodzki Szpital Dzieciecy) (Director: Dr. med. M. STABROWSKI) in Poznan

"Some Remarks on the Differentiation of Salmonellosis in Children."

Warsaw, Przeglad Epidemiologiczny, Vol 17, No 3, 63, pp 249-251

Abstract: [Author's English summary] Author shows the difficulties of differentiating infection with Salmonella bacilli on the basis of clinical and serological data in the case of two children. Bacteriological confirmation is indispensable. There are no references.

1/1

32

el Halan		1.7.44.510
<u>1.</u>	01899-67 T JK ACC NR: AP6035173: (A) SOURCE CODE: PO/0081/65/019/002/0254/025	3
	BEDRYNSKA-DOBEK, Maria and WALTEFOWA, Zofia: Regional Station of Sanitation and Epidemiology and Department of Experimental Sciences of the Institute of Rural Occupations and Hygiene (Wojew. Stacja SanEpid i Zesp. Nauk Bad	
•	Inst. Pracy i Hig. Wai) and Department of Infectious Diseases of the Regional Hospital of Children's Diseases (Oddz. Chorob Zakaznych Woj. Szpitala Chorob Dzieciecych), Poznan.	
	"Proteus Species and their Role in Diseases in Infants, Farticularly Acute Diarrheal Syndromes."	
	Warsaw, Przeglad Epidemiologiczny, Vol 19, No 2, 1965; pp 254-255.	
•	Abstract: Review of data in 94 infants (age 1-19 months) with Proteus species isolated from specimens of feces, throat swab, blood, ear or cerebrospinal fluid: 47 had acute diarrhea, 17 were hospitalized for miscellaneous conditions, 30 were healthy children from the nursery. Of the 47 with acute diarrhea, Proteus species were the only organisms isolated in 8 cases, all of these were rather severe. Sensitivity tests	
	of 137 strains of Proteus revealed 86 were resistant to all drugs tested in vitro; 53 were more or less sensitive to chloramphenicol. Presented at the 3rd Scientific Assembly of Polish Epidemiologists and Infectologists. 5-6 Oct 64. [JPRS]	
	TOPIC TAGS: pediatrics, digestive system disease, basterial disease SUB CODE: 06 / SUBM DATE: none Cord 1/1 hs	

ACC NR. A16032819 (7) 300RCE CHART PO/0000766/000/00070245/0251

AUTHOR: Walther, L. (Dresden)

ORG: Institute for Electroacoustics and Architectural Acoustics, Technical University, Dresden (Institut für Elektro- und Bauakustik der technischen Universität Dresden)

TITLE: Mothod of determining coefficients of piezoelectric ceramics significant for transducers, based on measurements on a single sample

SOURCE: Conference on Acoustics of Solid Media. Warsaw, 1964. Proceedings. Warsaw, PWN, 1966, 245-251

TOPIC TAGS: ceramic material, piezcelectric property, mlastic modulus


ABSTRACT: A description of the proporties of piezoelectric ceramics requires the knowledge of piezoelectric and elasticity coefficients and electric constants. These coefficients are determined most frequently by using the resonance method. The measurement consists in determining two definite frequencies and two amplitude values. If the problem is confined to determining coefficients designated by subscripts 1...3, then all the coefficients can be determined on a single sample; this increases the acrosses the accuracy and shortens the time required for the measurements. Basic difficulties have been encountered thus far in determining the elasticity coefficients


 $s_{12}^{y} = \frac{\partial S_1}{\partial T_2}$ and $s_{13}^{y} = \frac{\partial S_1}{\partial T_3}$


Card 1/2


ACC NR: AT6032819 It is shown that these quantities can be determined if Foisson ratios and the quantities six and six are known. Poisson ratios are obtained from measurements of the velocity dispersion of a longitudinal wave in a square rod. The method described was developed for application to titanate and sirconate cersmics, and its accuracy is 3%. Orig. art. has: 5 figures.							
SUB CODE: 11/ SUBM DATE: 14-Jun65							
Card 2/2							

l. Kozmetikus.	A letter fro	m Szeged.	Magy k	siper	6 no.23	2 15 H	62.	*	
	1. Kozmetik	rus.							
	e e e e e e e e e e e e e e e e e e e								
			-1/4						









WALTNER, K.; DIOSSZILAGYI, G.; KOLTAY, M.

Prephylaxis and therapy of interstitial pneumonia. Orv. hetil. 94 no.
3.:962-966 30 Ang 1953.

1. Doctors. 2. Children's Clinic (Director -- Prof. Dr. Maroly Waltner),
Szeged Hedical University.


WALTHER, K.; TOROK, J.; KOMAROMI, O.

THE PERSON AND PROPERTY OF THE PERSON AND THE PERSO

Significance of invert sugar for infant mutrition. Orv. hetil. 94 no.46:1275-1276 15 Nov 1953. (CDC 25:5)

1. Doctors. 2. Children's Clinic (Director - Prof. Dr. Karoly Waltner), Szeged Medical University.

KORPASSY, B.; TIBOLDI, T.; TOROK, J.; WALTHER, K.; GIOSSZILAGYI, G.; PALDY, L.; KOLTAY, M. Interstitial pneumonia of the premature. Acts med. hung. 5 no. 3-4:371-402 1954. 1. Institut fur Pathologische Anatomie und H. stologie der Medizinischen Universitat, Szeged (for Korpassy, Tiboldi, Torok) 2. Kinderklinik der Medizinschen Universitat, Szeged (for Waltner, Giosszilagyi, Paldy, Torok, Koltay) (Hingegaugen am 1. Juli 1953) (PMUMONIA, in inf. & child. *interstitial in premature, etiol., clin. aspects & pathol.) (INFANT FRIMATURE, diseases *pneumonia, in terstitial, etiol., clin. aspects & pathol.)



WALTNER, Karoly, dr.

Present state of poliomyelitis vaccination. Gyernekgyogyaszat

(POLIOMYELITIS, prev. & control vaccines & vacc., present state (Hun))
(VACCINES AND VACCINATION polio., present state (Hun))

7 no.7:193-198 July 56.

WALTHER KATOLY dr.

Ediotropic therapy of dysentery. Representative 37 no.9: 232-234 Sept 56.

1. Kozlemeny a Szegedi Orvostudomanyi Egyetem Gyermekklinikajarol. (DYSENTERY, BACILLARY, in inf. & child chemother., etiotropic (Hun))

WALTHER, Haroly, dr.

Blood exchange; transfusion with exsanguination. Orv. hetil.
98 no.25:665-673 23 June 57.

1. A Szegedi Orvostudomanyi Egyetem Gyermekklinikajanak
koslemenye.
(BLOOD TRANSFUSION
exchange, in newborn inf., indic., technics & results
(Hun))

BENCZH, Cycrgv, Dr.; WALFNER, Karoly, Dr.

Plasma cell leukemia. Orv. hetil. 99 no.8-9:290-292 23 Teb - 2 Mar 58.

1. A Szegedi Orvostudomanyi Egyetem I. sz. Belgycgyaszati Klinikajanak (igazgato: Hetenyi Geza dr. akademikus, egyet, tanar) kozlemenye.

(IZUKIMIA, case reports

plasma cell (Hun))

WALTHER, Karoly

MARIEN ENITED I THE SELECTION OF THE PRESENCE.

Significance of increased blood pressure in patients suffering from stenosis of the ostia venosa ministra. Orv. hetil. 99 no.19:645-647 ll May 58.

1. A Szegedi Orvostudomanyi Myyetem I. sz. Belgyogyaszati Klinikejanak (igazgato: Hetenyi Geza dr. akademikus, egyet. tanar) kozlemenye.


(HEART MISHASES, manifest.

hypertension in stenosis of left atrioventric. opening.

clin. significance (Hun))

(HYPERTENSION, etiol. & pathogen.

stenosis of left atrioventric. opening, clin. significance (Hun))



7,8000

z/023/60/000/03/05/007

AUTHORS:

Vaněk Jiří, Waniek Ludvík

TITLE:

Pressure Wave Amplitudes in and Near the Shattered Zone of an Underground Explosion Measured by Piezophotographic Method

PERIODICAL: Studia Geophysica et Geodaetica, 1960, No 3, pp 290 - 291

TEXT: There are several methods of generating elastic waves. An underground explosion is one of sufficiently intensive sources of elastic waves for field experiments. The area nearest to the source is the shattered zone, where irreversible destructive processes occur. Originally strong amplitudes of pressure waves decrease toward the outer boundary of this zone under elastic limit of the medium, and the disturbance materializes in the form of elastic waves. The measurable plastic zone must be assumed in plastic materials like sand, loam, etc. The piezophotographic method was applied during underground explosions of spherical charges of high explosives. Preliminary results show, that the piezophotographic method can be applied for detailed investigation of pressure wave amplitudes near intensive sources in real media. There are 2 figures and 7 references: 4 Czech, 2 English and 1 Soviet.

Card 1/2

کہر

z/02:1/50/000/03/05/007

Pressure Wave Amplitudes in and Near the Shattered Zone of an Underground Explosion Measured by Piezophotographic Method

ASSOCIATION: Geophysical Institute, Czechoslovak Academy of Sciences, Prague

SUBMITTED: February 26, 1960

W

Card 2/2

WANIEK, Ludvik

Principles of the piezophotographic method for measurement of pressure wave amplitudes. Geofys sbornik 9:229-310 161.

l. Geophysikalisches Institut, Tschechoslowakische Akademie der Wissenschaften, Praha.

KLIMA, Karel; VANEK, Liudovik [Waniek, Ludovik]

A new method of measuring absorption coefficient of strong pressure waves on the models of solids. Studii. astron seismol 6 no.2:211-216 '61.

1. Geofizicheskiy institut ChSAN, Praga

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001961430011-5

L 32802-66 SOURCE CODE: CZ/2512/64/012/000/0177/0197 ACC NR: AT6016646 AUTHOR: Pros, Zdenek; Sobotova, Carmen; Waniek, Ludvik; Pribyl, Alois; 37 ORG: none Bri TITLE: The velocity distribution of elastic waves in the Pribram graywacks SOURCE: Ceskoslovenska akademie ved. Geofysikalni ustav. Geofysikalni sbornik, v. 12, 1964, Prague, 1965, Prace, no. 196-214, 177-197 TOPIC TAGS: Ageology, electroacoustics, elastic oscillation, wave analyzer AESTRACT: The velocity of longitudinal elastic waves in the Pribram graywacke was measured in a continued study of uniformity in the mechanical properties of the rock. Samples from a vertical section of the pit at depths down to 1400 m were tested. The dependence of waves velocity on depth was determined by the electroacoustic method. It was established that this dependence is continuous and has a local maximum at a depth of 800-900 m. The change in the velccity gradient at this depth cannot be explained entirely by the change in density, or by the macroscopically noticeable change in the composition of the rock. Rather, it shows a correlation with the boundary (interface) between two geological structures which constitute the rock, called the Sadecky and the Tremoshensky graywacks; the boundary layer is rich in hematite. The geological characteristics of the rock are given. It is noted that the depth dependence $\Delta v/\Delta p$ for the given samples was obtained through measurements of

dependence of elastic wave on one-sided pressure. In turn, these measurements have demonstrated that the elastic anisotropy caused by the rock stratification and shown in upper strata is diminishing with increased pressure, i.e., in line with the increasing depth. The authors thank Doctor J. Vanek for valuable advice and suggestions, Mrs. N. Pick, and Messrs. K. Lomecky, and R. Haylik for devoted help in tests treating and evaluating measurement results. The paper was reviewed by K. Pec.
Orig. art. has: 12 figures, 3 tables, and 1 formula.

SUB CODE: 08/ SUBM DATE: 24Mar64/ ORIG REF: 004/ OTH REF: 004/

WANTEWS A. D.

GASTOL, B.; ANSELM, O.; DIJZNIHVSKA, K.; WANKINSKA, D.; Gorcsynska, K.

Hutrition of rural population in the Mischow and Mysleniec regions.

Presgl. lek., Krakow 10 no.6:173-178 1954.

1. Z Zakladu Higieny Akademii Hedycznej w Krakowie. Kierownik: Doc.
dr B.Gastol.

(MUTRITION,
in Poland, rural population)

(RUMAL COMPITIONS,
nutrition of rural population in Poland)

SEGAL, Pawel; FREYTAG, Tadeusz; WANIEWSKI, Edward

The problem of rare neoplasms arising from the ciliary part of the retina (diktyoma). Klin. oczna 35 no.1:63-69 165.

1. Z Kliniki Chorob Oczu (Kierownik: prof. dr. med. P. Segal); z Kliniki Laryngologicznej (Kierownik: prof. dr. med. J. Borsuk); oraz z Zakladu Anatomii Patologicznej Wojskowej Akademii Medycznej w Lodzi (Kierownik: prof. dr. med. A. Pruszczynski).

APPROVED FOR RELEASE: 09/01/2001 CIA-RDP86-00513R001961430011-5"

HART AND PART A BANGE REAL WAY WAY

WANIEWSKI, Edward

Histo-bacteriology of specific foci in surgical preparations. Postepy hig. mod. dosw. no.2:111-113 60.

1. Wojskowa Akademia Medyczna w Lodzi.

(TUBERCULOSIS PULMONARY pathol)

WANIEWSKI, Edward

Morphological changes in rat lungs and heart in acute radiation sickness. Polskie arch. med. wewn. 31 no.8:1093-1099 '61.

1. Z Pracowni Anatomopatologicznej I Centr. Szpit. Klin. WAM Kierownik: dr med. E. Waniewski Praca wykonana w ramach Zespolu Radiebiologicznego Kierownik Zespolu: doc. dr med. Z. Ruszczewski.

(LUNG radiation eff) (HEART radiation eff) (RADIATION INJURY exper)

LENKO, J.; WANIEWSKI, E.

On the histological structure of primary malignant tumors of the ureters. Rozhl. chir. 42 no.5:341-344 My 163.

1. Urologicka klinika WAM, prednosta prof. dr. J. Lenko a cytohistopatologicka laborator Ustredni klinicke nemocnice WAM, prednosta dr. E. Waniewski.

(URETERAL NEOPLASMS) (ADENOCARCINOMA)

(CARCINOMA, PAPILLARY) (HISTOLOGY)

5/196/62/000/005/002/012 E194/E154

AUTHORS:

型は最終基礎的**には、**質問的問題と知識。因為此代表でおりました。

Waltenberger-Razniewska, M., Siarzewski, L., and

Waniewski, E.

Factors influencing the elongation of single-domain TITLE:

particles of iron produced by the amalgam method

FERIODICAL: Referativnyy zhurnal, Elektrotekhnika i energetika, no.5, 1962, 2, abstract 5 Bl2. (Prace Inst. hutn.,

v.13, no.1, 1961, 47-52 (Folish, with summary in

Russian and English)).

Colloidal particles of iron of single domain structure were produced by electrolytic deposition on a mercury cathode. Analysis of the results obtained when the electrolytic bath was fed from a rectifier, a d.c. generator and an accumulator showed that the greatest ratio of B_{r} to the saturation magnetic field intensity H_{c} was obtained in powders deposited by a steady, non-pulsating current at a density of about 20 mA/cm2. saturation field $H_{\mathbf{C}}$ and $B_{\mathbf{r}}$ were measured by placing a test tube containing the amalgam (3% Fe) in a magnetometer. Hc reached 500 oersteds. By study of the powders in an electron Card 1/2

Factors influencing the ...

CONTROLLER SERVICE EL FOLL FOLLOW REVELLABLE, PERCENDIT ENGINEER FOLLOW FOLLOW AND COLOR OF A COLOR OF THE PERCENDIT OF THE P

S/196/62/000/005/002/012 E194/E154

microscope with the magnification of X 66 000 it was found that the particles were elongated (photographs are given).
38 literature references.

ASSOCIATION: Inst. Metali Nieżalaznych FNR
(Institute of Non-ferrous Metals, PFR).
(see also abstract 5 Bll and Ref.Zh.Elek. 1961, abstract 10 B34).

Abstractor's note: Complete translation.

Card 2/2

WANIEWSKI, Edward, mgr inz.; SIARZEWSKI, Leszek, mgr inz.; RUSZ, Jan, mgr inz.

Soft magnetic alloy meterials with rectangular hysteresis loop.
Rudy i metale 8 no.2:46-52 F '63.

WANIOLKA, F.

Tenth anniversary of the July Manifesto. p. 225. (PRZEGLAD GORNICZY, Vol. 10, No. 7/8, July/Aug. 1954, Stalinogrod, Poland)

SC: Monthly List of East European Accessions, (EEAL), LC, Vol. 3, No. 12, Dec. 1954, Uncl.

WANIOLKA, F.

"Decade of the coal mining industry." p. 385. (PREGLAD GORNICZY. Vol. 10, No. 12. Dec. 1954. Stellinggrod. Poland)

SO:. Monthly List of East European Accessions. (EEAL). IC. Vol. 4, Fq. 4. April 1955. Uncl.

APPROVED FOR RELEASE: 09/01/2001 CIA-RDP86-00513R001961430011-5"

WANTOLKA, F.

"Decorations of honor in the coal mining industry on the occasion of the tenth anniversary of People's Poland." p. 393.
(PRZEGLAD GORNICZY. Vol. 10, No. 12, Dec. 1954. Stalinograd, Poland)

SO: Monthly List of East European Accessions. (EEAL). LC. Vol. 4, No. 4. April 1955. Uncl.

WANIOLKA, F.

Feast of work p. 161

Vol. 11, No. 5, May 1955, PRZECIAD GORNICZY

SO: MONTHLY LIST OF EAST EUROPEAN ACCESSIONS, (EEAL), LC, Vol. 4, No.9 Sept. 1955, Uncl.

WANTOLKA, F.

Importance of the Polish-Soviet Scientific-Technical Conference for Development of the Coal Industry in the Polish People's Republic.

p. 251 (Przeglad Gorniczy. Vol. 12, no. 7/E, July/ Aug. 1956. Katowice, Poland)

Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 2, February 1958

 WANIOLKA, Franciszek, inz.

Development aims of the Polish mining industry and electric power engineering. Wiadom gorn 10 no. 4: 119-121 Ap '59.

1. Minister Gornictwa i Energetyki, Marszawa.

Realization of the resolutions of the 4th Plenum of the Central Committee of the Polish United Workers Party in the machine building industry; summary of an address delivered before the 10th Plenum. Przegl techn no.18:1,3 6 My '62. 1. Minister, Warsaw.

WANIOLKA, Franciszek, inz.

Report of the Minister for Heavy Industry at the 15th General Meeting of Delegates of the Association of Polish Electrical Engineers in Lodz, June 3-5, 1962. Przegl elektrotechn 38 no.9:361-363 S 162.

P/005/62/000/031/004/005 1003/1250

AUTHOR:

Wanior, Gotfryd, Magister (Master)

TITLE:


Prospects for development of the production of dolomite in Poland

PERIODICAL:

Prezgląd techniczny, 1962, no. 31, 3-4

TEXT: Because of small resources of magnesite, which do not meet Poland's needs for burned magnesite, the proper utilization of its rich and high quality reserves of dolomite for metallurgical purposes is of paramount importance. The best dolomites for refractory linings in the manufacturing process of pig iron and steel are ankerite dolomites containing 4% of Fe₂O₃ and about 2.5% of SiO₂, with a softening temperature of 1280-1300°C. The harder dolomites, i.e. those richer in silicates and poorer in iron oxides, are used in building and also as the support under asphalt roads and railways. The production of raw and burned dolomite should be ahead of the production of pig iron and steel. The needs of Poland's metallurgical industry, which in 1965 will produce 7,000,000 tons of pig iron, will be met by modernizing its old dolomite plants and by building new ones.

Card 1/1




WANICR, Godfryd, mgr.

Basic technical and economic indicators during the reasting of dolomite in the calcinating department. Wiad butn 18 no. 2:43-46. F 162

WANIOR, Gotfryd Jozef

Problem of exporting and importing raw and reasted delemits.
Wiad hut 19 no. 6: 167-168 Je '63.



WANI	Oil, G.J., mgr
	Technical progress in the production of raw and calcinated dolomite. Przegl techn 84 no.19:7 12 My 163.

AWSTRIC, Roman; WANIOREK, Alfred Uretero-vaginal fistula following attempted abortion. Ginek. pol. 34 no.4:533-536 '63. 1. Z Oddzialu Urologicznego Szpitala Miejskiego w Slupsku Ordynator: lek. med. R. Awstric Z Oddzialu GinekologicznoPolozniczego Szpitala Miejskiego w Slupsku Ordynator: dr med. A. Modrzejewski. (ABORTION, CRIMINAL) (URINARY FISTULA) (VAGINAL FISTULA) (SURGERY, OPERATIVE)

WANIOREK, Alfred; AWSTRIC, Roman

Avulsion of the ureter and kidney pelvis following rupture of the pregnant uterus. Ginek. pol. 34 no.61719-723 *63.

1. Z Oddzialu Ginekologiczno-Polozniczego Szpitala Miejskiego w Slupsku (ordynator: dr., med. A. Modrzojewski) i z Oddzialu Urologicznego Szpitala Miejskiego w Slupsku (ordynator: lek. med. R. Awstric).

WANIOREK, Alfred

Rupture of the uterus in labor. Ginek. Pol. 35 no.42529-540 Jl-Ag 164

1. Z (midzialu Folozniczo-Ginekologicznego Szpitala Mieksjiego w Słupsku (Grdynator: dr. med. K. Modrzejewski).

APPROVED FOR RELEASE: 09/01/2001 CIA-RDP86-00513R001961430011-5"